

## ULTRA LIGHTWEIGHT

You want cutting-edge wheelchair technology to keep pace with the demands of your active life. For over 30 years, QUICKIE has listened, researched, tested and delivered. Through state-of-the-art design, superior performance, and a customized build, QUICKIE empowers you to live without limits.





LIVE WITH OUT LIMITS



## YOU DRIVE OUR DESIGN

QUICKIE wheelchairs are designed for you and by you. In development, we consider how you interact with your wheelchair to maintain maximum efficiency, performance, fit, and style.

## LEADING TECHNOLOGY

We are continually developing new products, improving our flagship products, and offering new options and solutions to enhance your lifestyle.

## QUALITY AND DURABILITY

QUICKIE wheelchairs undergo rigorous testing that surpasses industry standards, so you can be confident that your product will hold up and perform throughout its lifetime.

# ADJUSTABILITY AND VERSATILITY

Once you choose a QUICKIE, our goal is that it continues to be the right chair for you. We offer maximum adjustability in our designs, interchangeable parts, and the True Fit Growth Program\* to help accommodate changes in your condition, environment, or lifestyle.

\*Available on select QUICKIE wheelchairs

## BUILT-4-ME CUSTOMIZATION

Our Built-4-Me Team is dedicated to creating product customizations beyond what is listed on our product order forms. Experts in the engineering and manufacturing of custom rehab products will listen to your specific requests and build a chair as individual as your fingerprint!

### **Rigid Chairs**

#### **Folding Chairs**

Product Specifications

 $\mathsf{JAY}^{\scriptscriptstyle{(\!1\! g)}}$  Cushions and Backs  $^{\scriptscriptstyle{(\!1\! g)}}$ 

## ULTRA LIGHTWEIGHT WHEELCHAIR JUSTIFICATION

#### Medicare Policy

Per Medicare policy\*, the beneficiary of a K0005 wheelchair must be a full-time manual wheelchair user or who requires customized "fitting and adjustments for one or more features such as, but not limited to, axle configuration, wheel camber, or seat and back angles which cannot be accommodated by a K0001 through K0004 manual wheelchair."

\* LCD Policy effective 10/31/14

#### Seating and Mobility Evaluation

A seating and mobility evaluation must be conducted by an experienced clinician and Rehabilitative Technology Supplier who is certified by the Rehabilitation Engineering & Assistive

## K0005

Ultra lightweight wheelchairs are categorized under the K0005 Medicare code.

Technology Society of North America (RESNA) as an Assistivo Technology Professional (ATP)."

#### Documentation

In order to obtain justification for a K0005 wheelchair, all lower level equipment must be ruled out as suitable options. Medicare policy states, "If documentation of the medical necessity for a K0005 wheelchair is requested, it must include a description of the beneficiary's routine activities. This may include the types of activities the beneficiary encounters and whether the beneficiar is fully independent in the use of the wheelchair. Describe the features of the K0005 base which are needed compared to the K0004 hase."





THE LIGHTEST
WHEELCHAIR
WE'VE EVER
MANUFACTURED

## 7000 SERIES AEROSPACE ALUMINUM

- 7000 Series aluminum heat treated using ShapeLoc Technology increases strength to allow for thinner, lighter tubing
- Transport weight starts at 9.9 lbs!
- Ovalized tubing decreases flex for an incredibly strong, rigid ride
- Increase in frame bend strength and stiffness improves propulsion efficiency

## **QUICKIE 7 SERIES**



#### Freestyle™ Backrest System

Not only does the Freestyle Backrest System's unmistakable style make the 7 Series a true original, it also breaks barriers to independence by providing a 360° range of upper body motion and lowering the overall weight of the wheelchair.



7<sup>R</sup> and 7<sup>RS</sup>

Choose the 7<sup>R</sup> for the ability to make quick back angle adjustments for various activities during the day. Choose the 7<sup>RS</sup> for a fully rigid backrest and axle plate that reduce the overall chair weight by an average of 1 pound and offe the most efficient propulsion.

- Three caster wheel placement options ensure optimal performance
- Frame graphics add bold or subtle style to any frame colo





HIGHLY
ADJUSTABLE
TO ELEVATE
YOUR MOBILITY

## SWEPT BACK FRAME STYLE

- Open frame with swept-back hydro-formed caster design for a smooth ride and clean design
- Classic Frame Style features a traditional frame length for maximum stability
- Performance Frame Style features a shortened length for maximum responsiveness

## QUICKIE 5<sup>R</sup>



#### **Axle Plate Design**

The 5<sup>R's</sup> swept-back axle plate design isn't just for looks. It is also incredibly quick to adjust and is available in two lengths to ensure you are getting the adjustments you need without adding extra weight.



#### **XTR Suspension**

The XTR Suspension Frame helps you fearlessly conquer curbs, bumps, and tough terrain. Add Mountain wheels, Knobby tires, wide casters, and Frog Legs suspension caste forks for the ultimate off-road wheelchair experience.

#### **Access to Premium Options**

- Topolino Wheels
- QUICKIE Xtender<sup>†</sup>
   Power Assist
- HCPCS-coded tensionadjustable upholstery
- Colored components



NO-NONSENSE
UTILITY AND
UNBEATABLE
VALUE

QUICKIE QRI

### **Commuter Friendly**

- Ultra lightweight and durable aluminum frame, WC-19 Transit approved up to 265 lbs.
- Open frame and fluid caster housing design for a stylish look
- Small footprint for maneuverability and easy transport



#### **Comfortable Fit**

with 0" or 1" of frame inset, a highly adjustable axle plate for perfecting your Center-of-Gravity setting, and multiple front frame angle options.

#### **QUICKIE's Top Options**

- Folding Lock-Down Angle Adjustable Back
- Wide range of seat widths and depths
- Most popular options for armrests, wheels, tires, and handrims



A CLASSIC

QUICKIE RIGID

WHEELCHAIR

## **QUICKIE GP**



#### **The Original Rigid Frame**

The GP's classic box frame and one piece construction exceed our superior standard for quality and deliver an unmatched rigid feel.

### **Multiple Front Frame Options**

- Standard Frame
- Tapered "GPV" Frame for increased maneuverability (pictured right)
- Swing-Away "GPSA"
   Frame for easy transfers and the option of adding elevating legrests



#### **Sports Performance**

- GPV front frame
- UUICKIE Performance Wheels
- $\cdot$  Up to 12° of camber



VERSATILE,
MODULAR.
THE INDUSTRY'S
FAVORITE FOR
OVER 25 YEARS!

## MODULAR FRAME DESIGN

- Interchangeable components accommodate changes in condition, function, growth, and environment
- Multiple front frames and seat rails
- Independent cross brace and rear frame

## QUICKIE 2



### **Endless Options**

- Heavy Duty frame option with 350 lb. weight capacit
- Depth adjustable and angle adjustable backs
- Multiple tire and rear wheel options, including the NEW 5-Spoke Mag
- Hemi frame with seat heights as low as 13"

hangers and ELR/ALRs for intuitive operation



#### Q-Fit™ Technology

- Tight fit between components for reduced noise in armrest and side guards
- Rigidity and performance for the life of the product



OUR SIMPLE
FOLDING
WHEELCHAIR
OPTION

## **QUICKIE 2 LITE**



#### **Contoured Modular Frame**

- Overall standard weight as low as 25.5 lbs.
- · Rounded rear frame
- Reduced side profile
- Subtle Q-gusset for added style

#### **QUICKIE's Top Options**

- Optional fixed front frame for superior folding performance
- Most popular options for armrests, wheels, tires, and handrims



#### **QUICKIE HP Option**

- "High Performance" for the most rigid ride from a folding frame
- Fixed front frame
- Wide range of seat widths and depths
- 0° to 7° of camber



LOW
MAINTENANCE
SIMPLICITY

## **QUICKIE QXI**



### **Durable Frame Design**

- Ultra lightweight and durable folding frame with a 265 lk weight capacity
- One-piece side frames reduce moving parts
- Three arm crossbrace sits inside frame for rigid ride



### **Simple Serviceability**

Most adjustments can be made in less than one minute, using only one tool:

- Center-of-Gravity (axle plate)
- Seat-to-floor heigh
- Camber
- Axle spacing
- Back heigh

### **QUICKIE's Top Options**

- Most popular armrests, wheels, tires, hangers, seat widths, and seat depths
- Hemi frame achieves 13"
   seat height with 5" casters

K	$\square$

Specifications subject to change without notice.

Standard Weight<sup>†</sup>

Frame Style

Seat Width

Seat Depth

Camber

Fold-Down Back

Front Suspension

Rear Suspension

Tilt Range

Transit

Warranty

K0005 7<sup>RS</sup>  $5^{R}$ 7<sup>R</sup> **GPSA** QRi **GP/GPV** Rigid -Rigid - Open Rigid - Open Rigid - Open Rigid - Open Rigid - Traditional Swing-Away 17.7 lbs (Std. Config.) 18.9 lbs (Std. Config.) 21.5 lbs (Std. Config.) 22 lbs (Std. Config.) GP: 23.75 lbs 26 lbs 9.9 lbs (Transport) 11.1 lbs (Transport) 12.9 lbs (Transport) 13.4 lbs (Transport) GPV: 23.6 lbs 250 lbs\* 250 lbs\* User Weight Capacity 265 lbs 265 lbs 265 lbs 265 lbs 12" to 22" \* 12" to 20" 12" to 20" 12" to 20" \* 12" to 20" 12" to 22" \* 12" to 18" \* (GP) 12" to 20" \* 12" to 20" 12" to 20" 12" to 20" 12" to 22" 12" to 22" \* (GPV) Fore (-) 27° Fore (-) 17° Fore (-) 17° Fore (-) 8° Fore (-) 8° **Back Angle Adjustment** Fixed to Aft (+) 8° to Aft (+) 8° to Aft (+) 8° to Aft (+) 4° to Aft (+) 4° 0°, 3°, 6° 0° to 11° 0° to 11° 0°, 3°, 6° 0°, 3°, 6° 0° to 3° Tension Adj. Upholstery Yes Yes Yes Yes Yes Yes Front Seat-to-Floor Ht. 16" to 21" 16" to 21" 16" to 21" 15" to 20" 15.5" to 23" 15.5" to 23" 14.5" to 20.5" (GP) Rear Seat-to-Floor Ht. 13" to 20" 13" to 20" 13" to 20" 14" to 20" 14.5" to 20.5" 14.5" to 20.6" (GPV) 75°, 80°, 85° 75°, 80°, 85° Footrest/Frame Angle 75°, 80°, 85° 70°, 80°, 85° 70°, 80°, 85° Swing-Away No Yes Yes Yes Yes Yes Adjustable Back Height Fixed Adj. 8" to 20" Adj. 10" to 20" Adj. 14" to 20" Adj. 8" to 20" Adj. 8" to 20" Center of Gravity (COG) 0.5" to 4" 0" to 4" -1.5" to 4" 1" to 3" 0.5" to 3.5" 0.5" to 3.5" Xtender™ Power Assist No Yes Yes No Yes Yes Built-4-Me Built-4-Me Yes Yes Yes Yes No Yes Yes No No No Yes° Yes° Yes° Yes° Nο Nο Limited Lifetime Limited Lifetime Limited Lifetime Limited Lifetime Limited Lifetime Limited Lifetime

Specifications subject to

K0005 Quickie 2 Lite Quickie 2 Quickie 2 HP QXi

- \* Additional options available through QUICKIE Built-4-Me.
- † Transport Weight = all items that can be removed without tools to depict transporting into or out of a vehicle. Standard Weight = 16" x 16" chair with wheel locks.
- ° Conforms with ANSI/RESNA WC-19 standards. Please refer to QUICKIE® & ZIPPIE® WC-19 Transit Securement Supplement (MK-100072) for additional information. Supplement is available for download at: www.SunriseMedical.com

	change without notice.		A.	10 N	AR PO
Design	Frame Style	Folding	Folding	Folding	Folding
	Standard Weight <sup>†</sup>	25.5 lbs (fixed) 27.75 (swing-away)	28.9 lbs	27.9 lbs	28.8 lbs
	User Weight Capacity	265 lbs	265 lbs - STD 350 lbs - HD	250 lbs	265 lbs.
Adjustability	Seat Width	14" to 20"	12" to 22" *	11" to 22"	14" - 20"
	Seat Depth	14" to 20"	12" to 20" *	10" to 20"	14" - 20"
	Back Angle Adjustment	Fore (-) 4° to Aft (+) 14°	Fore (-) 3° to Aft (+) 15°	Fore (-) 3° to Aft (+) 15°	Fore (-) 5° to Aft (+) 14°
	Camber	0°, 2°, 4°, 6°	0°, 2°, 4°, 6°	0° to 7°	0°, 3°
	Tension Adj. Upholstery	Yes	Yes	Yes	Yes
Clinical Applications	Front Seat-to-Floor Ht.	15.5" to 21"	13.5" to 22"	17" to 22"	12.5" to 19.5"
	Rear Seat-to-Floor Ht.	13" to 19.5"	13" to 22"	15.5" to 21"	12" to 19"
	Footrest/Frame Angle	70°, 80°	Swing-Away	60°, 70°	60°, 70°, 80°, Elevating
ГАрр	Fold-Down Back	No	No	No	No
inical	Adjustable Back Height	9" to 21"	9" to 21"	8.5" to 20"	13" to 17" or 16" to 20"
2	Center of Gravity (COG)	0.5" to 3"	-1" to 4.5"	0.5" to 3.5"	1" to 3"
	Tilt Range	-	-	_	-
Lifestyle Options	Xtender™ Power Assist	No*	Yes	Yes	No
	Front Suspension	Yes	Yes	Yes	Built-4-Me
	Rear Suspension	No	No	No	No
	Transit	Yes°	Yes°	Yes	Yes
	Warranty	Limited Lifetime	Limited Lifetime	Limited Lifetime	Limited Lifetime

# = JAY Seating Selection

## JAY CUSHIONS



E2601, E2602

Basic



Basic<sup>PRO</sup> E2601, E2602



GO™ E2603, E2604



Soft Combi™ P E2605, E2606



Lite E2603, E2604, E2607, E2608



Zip™ E2607



Easy™ E2607, E2608



lon™ E2607, E2608



Union™ E2607, E2608



**X2**™ E2622



Fusion™ E2622, E2623



J2™ Deep Contour E2622, E2623, E2624, E2625



**J3**™ E2622, E2623

## JAY BACKS



**Basic** E2611



GO™ E2611, E2612



Care™ E2615



**J2**™ E2613



J2™ Deep Contour E2620



**Focus Point** E2620



J3<sup>™</sup> PA E2613, E2614



J3™ PL E2615



J3™ PD. PDL & PDC E2620

To learn about customizing JAY seating products, visit the JAY Your Way product page on www.SunriseMedical.com.

